## § 180.580

## § 180.580 Iodosulfuron-Methyl-Sodium; tolerances for residues.

(a) General. Tolerances are established for residues of the herbicide Iodosulfuron-Methyl-Sodium (methyl 4-iodo-2-[3-(4-methoxy-6-methyl-1,3,5 triazin-2-yl)ureidosulfonyl]benzoate, sodium salt) in or on the following commodities:

| Commodity           | Parts per<br>million |
|---------------------|----------------------|
| Corn, field, forage | 0.05                 |
| Corn, field, grain  | 0.03                 |
| Corn, field, stover | 0.05                 |
| Wheat, forage       | 0.10                 |
| Wheat, grain        | 0.02                 |
| Wheat, hay          | 0.05                 |
| Wheat, straw        | 0.05                 |

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[67 FR 57532, Sept. 11, 2002, as amended at 74 FR 23644, May 20, 2009]

## \$180.581 Iprovalicarb; tolerances for residues.

(a) General. Tolerances are established for residues of iprovalicarb, [2-methyl-1[[[(1S)-(4-methylphenyl) ethyl] amino]carbonyl] propyl]carbamic acid methylethylester, in or on the following commodities.

| Commodity | Parts per<br>million |
|-----------|----------------------|
| Grape 1   | 2.0<br>1.0           |

<sup>1</sup>There is no U.S. registration as of September 1, 2005.

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

 $[67\ FR\ 54359,\ Aug.\ 22,\ 2002,\ as\ amended\ at\ 70\ FR\ 55281,\ Sept.\ 21,\ 2005]$ 

## § 180.582 Pyraclostrobin; tolerances for residues.

(a) General. (1) Tolerances are established for residues of the fungicide pyradostrobin, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified

below is to be determined by measuring only the sum of pyraclostrobin (carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy] methyl]phenyl]methoxy-, methyl ester) and its desmethoxy metabolite (methyl-N-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl] phenylcarbamate), calculated as the stoichiometric equivalent of pyraclostrobin, in or on the commodity.

| Commodity                                    | Parts per<br>million |
|--|----------------------|
| Alfalfa, forage                              | 10                   |
| Alfalfa, hay                                 | 30                   |
| Almond, hulls                                | 7.0                  |
| Apple, wet pomace                            | 8.0                  |
| Artichoke, globe                             | 3.0                  |
| Avocado                                      | 0.6                  |
| Banana                                       | 0.04                 |
| Barley, grain                                | 1.4                  |
| Barley, hay                                  | 25                   |
| Barley, straw                                | 6.0                  |
| Bean, succulent shelled                      | 0.5                  |
| Beet, sugar, dried pulp                      | 1.0                  |
| Beet, sugar, roots                           | 0.2                  |
| Beet, sugar, tops                            | 8.0                  |
| Berry, low growing, subgroup 13-07G, except  |                      |
| cranberry                                    | 1.2                  |
| Brassica, head and stem, subgroup 5A         | 5.0                  |
| Brassica, leafy greens, subgroup 5B          | 16.0                 |
| Bushberry subgroup 13-07B                    | 4.0                  |
| Caneberry subgroup 13-07A                    | 4.0                  |
| Canistel                                     | 0.6                  |
| Citrus, dried pulp                           | 12.5                 |
| Citrus, oil                                  | 9.0                  |
| Coffee, green bean                           | 10.3                 |
| Corn, field, forage                          | 5.0                  |
| Corn, field, grain                           | 0.1                  |
| Corn, field, refined oil                     | 0.2                  |
| Corn, field, stover                          | 17.0                 |
| Corn, pop, grain                             | 0.1                  |
| Corn, pop, stover                            | 17.0                 |
| Corn, sweet, forage                          | 5.0                  |
| Corn, sweet, kernel plus cob with husks re-  | 0.0                  |
| moved  | 0.04                 |
| Corn, sweet, stover                          | 23.0                 |
| Cotton, gin byproducts                       | 30                   |
| Endive, belgium                              | 4.0                  |
| Fruit, citrus, group 10–10                   | 2.0                  |
| Fruit, pome, group 11–10                     | 1.5                  |
| Fruit, small vine climbing, except fuzzy     | 1.0                  |
| kiwifruit, subgroup 13–07F                   | 2.0                  |
| Fruit, stone, group 12                       | 2.5                  |
| Grain, aspirated fractions                   | 2.5                  |
| Grape, raisin                                | 7.0                  |
| Grass, forage                                | 10                   |
| Grass, hay                                   | 4.5                  |
| Grass, seed screenings                       | 27                   |
| Grass, straw                                 | 14                   |
| Hop, dried cones                             | 23.0                 |
| Mango  | 0.6                  |
| Nut, tree, group 14                          | 0.04                 |
| Oat, grain                                   | 1.2                  |
| Oat, hay                                     | 18                   |
| Oat, straw                                   | 15                   |
| Oilseed group 20                             | 0.45                 |
| Papaya                                       | 0.45                 |
| Pea, succulent                               | 0.6                  |
| Pea and bean, dried shelled, except soybean, | 0.2                  |
| subgroup 6C                                  | 0.5                  |
|  | 0                    |